



Asynchronous **SRAM** Professional

Long-Term and Stable Supplier
Your Reliable Green Partner

 Selection Guide

visit us at www.lyontek.com.tw

Lyontek Inc.

Lyontek Inc. is a fabless IC design company established in 2003 and located in Hsin-Chu Taiwan . We are dedicated in Asynchronous SRAM product design, developing and manufacturing for the following target markets:

- (a) Industrial Electronics
- (b) POS
- (c) Consumer electronics
- (d) Communication
- (e) Automotive electronics
- (f) Medical electronics.

We are also developing audio amplifier products focused on our target market.

Policy

- Long term supply of SRAM products : 64K to 32M SRAM.
- Various power supply voltages:1.8V,3V,5V and wide range as 2.7~5.5V.
- Diversified package types : SOP,TSOP I,TSOP II,BGA,PDIP,SOJ etc.
- Support small quantity order.
- All team members of Lyontek are well-experienced in providing sufficient technical support and service to our customers.
- We take great effort to build and sustain long-term relationships with foundry fabs,assembly and testing subcontractors to ensure Lyontek's commitment of continuous supply.

Accomplishment

- Over 100Mpcs SRAM delivered
- Certificates : SONY Green Partner, ISO9001&14001, QC080000, China RoHS



Low Power SRAM

3V Low Power SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package	
64K	8Kx8	LY6264	35/55/70	28 SOP / 28 PDIP-300mil / 28 PDIP-600mil / 28 sTSOP	
256K	32Kx8	LY62256	35/55/70	28 SOP / 28 PDIP_300mil / 28 PDIP_600mil / 28 sTSOP	
1M	128Kx8	LY62L1024	35/45/55/70	32 SOP / 32 TSOP I / 32 sTSOP / 36 BGA	
		LY62L6416	45/55/70	44 TSOP II / 48 BGA	
		LY62L6416B	45/55	44 TSOP II / 48 BGA	
2M	256Kx8	LY62L2568	45/55/70	32 SOP / 32 TSOP I / 32 sTSOP / 36 BGA	
		LY62L2568B	45/55	32 SOP / 32 PDIP / 32 TSOP I / 32 TSOP II / 32 sTSOP /36 BGA	
	128Kx16	LY62L12816	45/55/70	44 TSOP II / 48 BGA	
		LY62L12816B	45/55	44 TSOP II / 48 BGA	
		LY62L12916	45/55/70	48 TSOP I / 44 TSOP II / 48 BGA	
4M	512Kx8	LY62L5128	45/55/70	32 SOP / 32 PDIP / 32 TSOP I / 32 TSOP II / 32 sTSOP /36 BGA	
		LY62L5128B	45/55	32 SOP / 32 PDIP / 32 TSOP I / 32 TSOP II / 32 sTSOP /36 BGA	
	256Kx16	LY62L25616	45/55/70	44 TSOP II / 48 BGA	
		LY62L25616B	45/55	44 TSOP II / 48 BGA	
		LY62L25716	45/55/70	48 TSOP I / 44 TSOP II / 48 BGA	
		LY62L25716B	45/55	48 TSOP I / 48 BGA	
8M	1Mx8	LY62L10248	55/70	44 TSOP II / 48 BGA	
		LY62L10248B	45/55	44 TSOP II / 48 BGA	
	512Kx16	LY62L51216	55/70	44 TSOP II / 48 BGA	
		LY62L51216B	45/55	44 TSOP II	
		LY62L51316	55/70	48 TSOP I / 48 BGA	
		LY62L51316B	45/55	48 TSOP I / 48 BGA	
LY62L51416B	45/55	48 TSOP I			
16M	2Mx8	LY62L20488	55/70	44 TSOP II	
		LY62L20488A	55/70	44 TSOP II / 48 BGA	
		LY62L20488B	45/55	44 TSOP II / 48 BGA	
	1Mx16	LY62L102516		55/70	48 TSOP I
				55/70(SL)	48 BGA
		LY62L102516A	55/70	48 TSOP I	
		LY62L102516B	45/55	48 TSOP I / 48 BGA	
	1Mx16/ 2Mx8	LY62L102616		55/70	48 TSOP I
				55/70	48 TSOP I
			45/55	48 TSOP I	
32M	2Mx16	LY62L204916B	55	48 BGA	
	4Mx8/ 2Mx16	LY62L205016B	55	48 TSOP I	
64M	4Mx16	LY62L409716A	55	48 BGA	
	8Mx8/4Mx16	LY62L409816A	55	48 TSOP I	

Low Power SRAM

5V Low Power SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package
64K	8Kx8	LY6264	35/55/70	28 SOP / 28 PDIP-300mil / 28 PDIP-600mil / 28 sTSOP
256K	32Kx8	LY62256	35/55/70	28 SOP / 28 PDIP-300mil / 28 PDIP-600mil / 28 sTSOP
1M	128Kx8	LY621024	35/55/70	32 SOP / 32 PDIP-600mil / 32 TSOP I / 32 sTSOP / 36 BGA
	64Kx16	LY626416	45/55/70	44 TSOP II
2M	256Kx8	LY622568	45/55/70	32 SOP / 32 TSOP I / 32 sTSOP
	128Kx16	LY6212816	45/55/70	44 TSOP II
4M	512Kx8	LY625128	45/55/70	32 SOP / 32 PDIP-600mil / 32 TSOP I / 32 sTSOP
	256Kx16	LY6225616	45/55/70	44 TSOP II / 48 BGA
8M	1Mx8	LY6210248	55/70	44 TSOP II
	512Kx16	LY6251216	55/70	44 TSOP II
		LY6251216A	45	44 TSOP II
16M	2Mx8	LY6220488	55/70	44 TSOP II
	1Mx16	LY62102516	55/70	48 TSOP I
	1Mx16/ 2Mx8	LY62102616	55/70	48 TSOP I

2.7-5.5V Low Power SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package
64K	8Kx8	LY6264	35/55/70	28 SOP / 28 PDIP-300mil / 28 PDIP-600mil / 28 sTSOP
256K	32Kx8	LY62256	35/55/70	28 SOP / 28 PDIP-300mil / 28 PDIP-600mil / 28 sTSOP
1M	128Kx8	LY62W1024	35/55/70	32 SOP / 32 PDIP-600mil / 32 TSOP I / 32 sTSOP / 36 BGA
	64Kx16	LY62W6416	45/55/70	44 TSOP II / 48 BGA
2M	256Kx8	LY62W2568	55/70	32 SOP / 32 TSOP I / 32 sTSOP
	128Kx16	LY62W12816	45/55/70	44 TSOP II / 48 BGA
		LY62W12816B	45/55	44 TSOP II / 48 BGA
4M	512Kx8	LY62W5128	55/70	32 SOP / 32 PDIP / 32 TSOP I / 32 TSOP II / 32 sTSOP /36 BGA
	256Kx16	LY62W25616	55/70	44 TSOP II / 48 BGA
8M	1Mx8	LY62W10248	55/70	44 TSOP II / 48 BGA
	512Kx16	LY62W51216	55/70	44 TSOP II / 48 BGA
		LY62W51316	55/70	48 TSOP I / 48 BGA
16M	2Mx8	LY62W20488	55/70	44 TSOP II
	1Mx16	LY62W102516	55/70	48 TSOP I

1.8V Ultra Low Power SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package
1M	128Kx8	LY62S1024	70	32 SOP / 32 TSOP I / 32 sTSOP / 36 BGA

Serial PSRAM

3V Serial pSRAM with SQPI Interface Selection Guide

Density	Organization	Part No.	Max. Bandwidth(Mbps.)	Package
64M	8Mx8	LY68L6400	133	8 SOP / 8 DFN

1.8V Serial pSRAM with SQPI Interface Selection Guide

Density	Organization	Part No.	Max. Bandwidth(Mbps.)	Package
64M	8Mx8	LY68S6400	144	8 SOP / 8 DFN

High Speed SRAM

5V High Speed SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package
64K	8Kx8	LY6164	12/15	28 SOJ / 28 PDIP-300mil / 28 sTSOP
256K	32Kx8	LY61256	12/15	28 SOJ / 28 PDIP-300mil / 28 sTSOP
1M	128Kx8	LY611024	12/15	32 SOJ / 32 TSOP I / 32 sTSOP
	64Kx16	LY616416	15/20	44 TSOP II
2M	256Kx8	LY612568	15/20/25	44 TSOP II
	128Kx16	LY6112816	20	44 TSOP II
4M	512Kx8	LY615128	10/12/20	44 TSOP II
	256Kx16	LY6125616	10/12/15/20	44 TSOP II

3.3V High Speed SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package	
256K	32Kx8	LY61L256	12/15	28 SOJ / 28 sTSOP	
1M	128Kx8	LY61L1288	10/12	32 TSOP II / 32 sTSOP	
		LY61L1024	10/12/18	32 SOJ / 32 TSOP I / 32 sTSOP / 36 BGA	
	64Kx16	LY61L6416	10/12/15	44 TSOP II / 48 BGA	
		LY61L6416B	25	44 TSOP II	
2M	256Kx8	LY61L2568A	8/10	44 TSOP II	
	128Kx16	LY61L12816A	8/10	44 TSOP II / 48 BGA	
4M	512Kx8	LY61L5128	20	44 TSOP II	
		LY61L5128A	8/10	44 TSOP II / 36 BGA	
	256Kx16	LY61L25616	20	44 TSOP II	
		LY61L25616A	8/10	44 TSOP II / 48 BGA	
		LY61L25616B	10	44 TSOP II / 48 BGA	
8M	1Mx8	LY61L10248A	8/10	44 TSOP II / 48 BGA	
		LY61L10268A	8/10	48 BGA	
	512Kx16	LY61L51216A	8/10	44 TSOP II / 48 BGA	
	256Kx32	LY61L25732A	10	90 BGA	
16M	2Mx8	LY61L20508A	10	44 TSOP II / 48 BGA	
		LY61L20498A	10	54 TSOP II / 48 BGA	
	1Mx16	LY61L102416A	10/12	48 TSOP I / 48 BGA	
		LY61L102516A	10	54 TSOP II / 48 BGA	
512Kx32	LY61L51332A	10	90 BGA		

5V High Speed Low Power SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package
64K	8Kx8	LY6564	20	28 sTSOP
256K	32Kx8	LY65256	20	28 sTSOP
1M	128Kx8	LY651024	20	32 TSOP I / 32 sTSOP

3.0V~5.5V High Speed Low Power SRAM Selection Guide

Density	Organization	Part No.	Speed(ns)	Package
64K	8Kx8	LY65W64	25	28 sTSOP
256K	32Kx8	LY65W256	25	28 sTSOP
1M	128Kx8	LY65W1024	25	32 TSOP I / 32 sTSOP

Audio Amplifier

Low Power Class AB Selection Guide

Part Number	Stereo/Mono	Output Power (W)With Load	Vdd / Vcc	Earphone Function	Input	Output	Package	Note(* 1)
LY8891UL	Mono	2.0W/4Ω	2.5V~5.5V	None	Single-End/ Differential	BTL	8 MSOP(118mil)	-

Low Power Class D Selection Guide

Part Number	Stereo/Mono	Output Power (W)With Load	Vdd / Vcc	Earphone Function	Input	Output	Package	Note(* 1)
LY8005UL	Mono	3.3W/4Ω	2.5V~5.5V	None	Differential	BTL	8 MSOP (118mil)	-
LY8006UL	Mono	3.3W/4Ω	2.5V~5.5V	None	Single-End	BTL	8 MSOP (118mil)	-
LY8009VL	Mono	5.5W/2Ω 3.6W/4Ω	2.5V~5.5V	None	Single-End	BTL	8 ESOP (150mil) (with thermal pad)	-
LY8010BL	Mono	3.3W/4Ω	2.5V~5.5V	None	Differential	BTL	8 DFN(3x3mm)	-
LY8209U	Stereo	3.3Wx2/4Ω	2.5V~5.5V	None	Single-End	BTL	10 MSOP (118mil)	-

High Power Class D Selection Guide

Part Number	Stereo/Mono	Output Power (W)With Load	Vdd / Vcc	Earphone Function	Input	Output	Package	Note
LY8326A	Stereo/ Mono	4.5Wx4/4Ω/12V 8Wx2/4Ω/8.4V 16Wx2/4Ω/12V 40Wx2/4Ω/19V*1 47Wx1/4Ω/19V*1	6.3V~24V	None	Differential/ Single-End	4xSE/ 2xBTL/ 2.1 CH./ PBTL	28 TSSOP (with thermal pad)	1. Mute function 2. L/C filter-free operation. 3. Digital gain selectable
LY8361F	Multi Channel	(without heat-sink) 10Wx4/4Ω/19V 16Wx2/4Ω/12V 6Wx2+21W/4Ω/14V (with heat-sink) 10Wx4/4Ω/19V 27Wx2/4Ω/16V 8Wx2+27W/4Ω/16V	8V~19V	None	Single-End	4xSE/ 2xBTL/ 2.1 CH./ PBTL	48 LQFP	1. Mute function 2. Include 2 OP Amp.for High/Low Pass Filter 3. DC Volume Control
LY8366F	Multi Channel	(without heat-sink) 7Wx4/4Ω/14.4V 10Wx4/4Ω/24V 24Wx2/4Ω/14.4V (with heat-sink) 16Wx4/4Ω/22V 30Wx2/4Ω/16V	12V~26V	Yes	Single-End	4xSE/ 2xBTL/ 2.1 CH./ PBTL	48 LQFP	1. Mute function 2. Include 2 OP Amp.for High/Low Pass Filter 3. DC Volume Control

Note: (*1). with heat-sink.

DC/DC Converter

Part Number	Input Vdd/Vcc.	Output Voltage	Isb	Iq	Control Mode	Freq.(KHz)	Package	Note
LY1152	2.4V~7.0V	-1.22 ~ -40V	0.1uA	90uA	PFM	60~160KHz	SOP8	-

Packing Quantity

Tray and Tube Unit Quantity

SRAM Product /Package	Description		
28 SOJ	25 ea / Tube	2,500 ea / 100 Tube / Box	10,000 ea / 4 Box / CTN
32 SOJ	22 ea / Tube	2,200 ea / 100 Tube / Box	8,800 ea / 4 Box / CTN
28 SOP	25 ea / Tube	2,500 ea / 100 Tube / Box	10,000 ea / 4 Box / CTN
32 SOP	22 ea / Tube	2,200 ea / 100 Tube / Box	8,800 ea / 4 Box / CTN
28 PDIP	15 ea / Tube	600 ea / 40 Tube / Box	2,400 ea / 4 Box / CTN
32 PDIP	13 ea / Tube	520 ea / 40 Tube / Box	2,080 ea / 4 Box / CTN
28/32 sTSOP	234 ea / Tray	2,340 ea / 10 Tray / Box	14,040 ea / 6 Box / CTN
28/32 TSOP I	156 ea / Tray	1,560 ea / 10 Tray / Box	9,360 ea / 6 Box / CTN
48 TSOP I	96 ea / Tray	960 ea / 10 Tray / Box	3,840 ea / 6 Box / CTN
32 TSOP II	117 ea / Tray	1,170 ea / 10 Tray / Box	7,020 ea / 6 Box / CTN
44 TSOP II	135 ea / Tray	1,350 ea / 10 Tray / Box	8,100 ea / 6 Box / CTN
54 TSOP II	108 ea / Tray	1,080 ea / 10 Tray / Box	6,480 ea / 6 Box / CTN
36B/48B TFBGA(6x8mm)	480 ea / Tray	4,800 ea / 10 Tray / Box	28,800 ea / 6 Box / CTN
48B TFBGA(8x10mm)	220 ea / Tray	2,200 ea / 10 Tray / Box	13,200 ea / 6 Box / CTN
90B TFBGA(8x13mm)	240 ea / Tray	2,400 ea / 10 Tray / Box	14,400 ea / 6 Box / CTN
Audio Product /Package	Description		
28 TSSOP	50 ea / Tube	5,000 ea / 100 Tube / Box	20,000 ea / 4 Box / CTN
128 LQFP	90 ea / Tray	900 ea / 10 Tray / Box	5,400 ea / 6 Box / CTN
48 LQFP(7x7mm)	250 ea / Tray	2,500 ea / 10 Tray / Box	15,000 ea / 6 Box / CTN

Tape and Reel Unit Quantity

SRAM Product /Package	Description		
28/32 SOP	1,000 ea / Reel	1 Reel / Box	5,000 ea / 5 Box / CTN
28/32 SOJ	1,000 ea / Reel	1 Reel / Box	5,000 ea / 5 Box / CTN
28/32 sTSOP	1,500 ea / Reel	1 Reel / Box	7,500 ea / 5 Box / CTN
28/32/48 TSOP I	1,500 ea / Reel	1 Reel / Box	7,500 ea / 5 Box / CTN
32/44/54 TSOP II	1,000 ea / Reel	1 Reel / Box	5,000 ea / 5 Box / CTN
36B/48B/90B TFBGA	2,000 ea / Reel	1 Reel / Box	10,000 ea / 5 Box / CTN
Audio&DC/DC Converter Product /Package	Description		
8/10 MSOP	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
8/10 EMSOP	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
8/10/16 SOP	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
8/10/16 ESOP	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
16/28 TSSOP	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
8/10 DFN	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
16 QFN	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
9B/18B WCSP	3,000 ea / Reel	1 Reel / Box	15,000 ea / 5 Box / CTN
48 LQFP	1,000 ea / Reel	1 Reel / Box	5,000 ea / 5 Box / CTN

Headquarters

300 新竹科學園區工業東二路17號2樓
2F, No. 17, Industry E. Rd. II, Science-Based
Industrial Park, Hsinchu 300, Taiwan, R.O.C.
Tel: 886-3-6668838
Fax: 886-3-6668836
Memory product: memory@lyontek.com.tw
Audio product: audio@lyontek.com.tw

Taipei Office

114 台北市內湖區行忠路42號5樓
5F., No.42, Singjhong Rd., Neihu District,
Taipei City 114, Taiwan, R.O.C.
Tel: 86-2-2793-5340
Fax: 86-2-2793-3419
Memory product: memory@lyontek.com.tw
Audio product: audio@lyontek.com.tw

Japan Office

東京都渋谷区代々木 2-23-1 NSM 1129 〒151-0053
2-23-1 NSM1129 Yoyogi, Shibuya-ku, Tokyo, 151-0053 Japan.
Tel: Sano: 81-50-3556-2378
Kiki: 81-50-3572-8838
E-mail: sano@lyontek.com.tw
kiki@lyontek.com.tw

